

RECORD OF PROCEEDINGS

100 Leaves

FORM 50 C. F. HOECKEL B. B. & L. CO.

ORDINANCE NO. 294

AN ORDINANCE AMENDING SECTIONS 8 AND 10 OF ORDINANCE No. 251, RELATING TO SEWERS, PROVIDING FOR PERMIT FEES AND TAP FEES.

BE IT ORDAINED BY THE BOARD OF TRUSTEES OF THE TOWN OF BERTHOUD, COLORADO:

Section 1. That Section 8 of Ordinance No. 251 of the ordinances of the Town of Berthoud, Colorado, be and the same is hereby amended to read:

Section 8. That every person making application for a permit to connect with the Town sewer system shall, at the time of making such application, pay an inspection fee of Two Dollars and fifty cents (\$2.50) and a tap fee of One Hundred (\$100.00) Dollars, if the property to be served is within the corporate limits, and Four Hundred (\$400.00) Dollars if the property to be served is without the corporate limits. Such application shall be made on blanks supplied by the Town. Before issuing a permit, the Town Clerk shall refer the application to the Superintendent. If the proposed connection is found to be in conformity with this Ordinance, the Superintendent shall endorse his approval upon the application and no permit shall be issued without such approval.

Section 2. That Section 10 of Ordinance No. 251 of the ordinances of the Town of Berthoud, Colorado, be and the same is hereby amended to read:

Section 10. Every private sewer line which is connected with the Town sewage system shall meet the following requirements:

Size: No private sewer shall be less than 4 inches nor more than 6 inches, inside diameter; except that where two or more houses will, because of their situation, require a private sewer for their joint use, such sewer shall be not less than 6 inches, inside diameter.

Quality: Private sewers shall be constructed of good, hard, sound vitrified clay, whole socket pipes, asbestos cement pipes with root-resistant joints, or such pipes and materials of equal quality which may be approved by the Superintendent of sewers. The inside of the sewer, after it is laid, must be smooth and clean throughout its entire length and the ends of all pipes not to be immediately used must be securely guarded against the introduction of sand or earth, by bricks and cement or other water-tight and impervious material.

Fall: All private sewers shall be laid with a fall of not less than 1/8-inch to one foot, and as much greater as possible.

Connections: All connections of one length of sewer pipe to another shall be with "Y" branches or "T" saddles and long radius eighth bends.

Back Filling: The back filling shall be hard packed with care and well rammed to prevent the slightest settling of any drain.

RECORD OF PROCEEDINGS

100 Leaves

FORM 50 C. F. HOECKEL B. B. & L. CO.

All work relating to the connection of sewers with the public sewer shall be at the expense of the property owner but supervised and inspected by the Superintendent. All materials, workmanship and methods of installation of such connection shall conform to the Plumbing Code of the State of Colorado.

Section 3. The Board of Trustees herewith finds, determines and designates that this Ordinance is necessary for the immediate preservation of the public peace, health and safety, and whereas in the opinion of the Board of Trustees an emergency exists, this Ordinance shall take effect and be in force five (5) days after its final passage, adoption and publication.

Attest:



Homer C Ben
Mayor

Viola Barrouman
Town Clerk

Adopted June 11, 1963